

Distributed Avionics and Software Verification for the Constellation Program



CONSTELLATION





Introduction

 Increasing cost and schedule pressures are leading to distributed avionics and software verification




DSIL Vision



The Cx DSIL will consist of multiple System Integration Labs (SILs), Simulators, Emulators, Testbeds, and Control Centers interacting with each other over a broadband network to provide virtual test systems for multiple test scenarios.

Simultaneous T&V Activities using DSIL




The Cx DSIL will be used to

- Sign-off Level 2 T&V
- Dry Run integration tests (e.g., Multi-Element Integration Testing (MEIT), Flight Element Integration Testing (FEIT)) in much the same way ISS SIL is used today
- Conduct Integrated S/W Load Testing
- Prove out C3I Architecture by using it

The Cx DSIL is also available to

- Early Hardware/Software Integration
- Conduct Level 3 integration tests
- Facilitate Crew Training







Challenges

- Distributed Testing presents unique challenges versus traditional localized testing
 - Latency
 - Security
 - Timing
 - Data Integrity
 - Service Availability





Cost Benefits


- Cost benefits are anticipated for
 - Production
 - Less duplication of System hardware
 - Utilize assets already in place
 - Maintenance and Operations
 - Using the most up to date system representations
 - More experienced personnel maintaining each system
 - Travel
 - Less travel to monitor system integration tests
 - Less travel for each system to go to other systems facilities to maintain their system's emulators





Schedule Benefits

- Schedule Benefits
 - Scheduling of limited resources
 - Early Testing
 - Less rework due to anomalies in test support equipment
 - Reduction of anomaly reports








Risk Reductions

- Having Integrated Testing available throughout the life of the Program
- Prototype system interfaces early to test compliance (e.g. C3I interoperability)
- Buy down the risk of failure during larger scale testing later in the program life cycle
 - Dry run MEIT and FEIT tests using distributed SILs
 - Check out procedures



Latest Demo of DSIL









Summary

• While distributed avionics and software verification presents challenges there are a number of anticipated benefits.





Acronyms

- C3I Command, Control, Communications and Information
- CAIL CEV Avionics Integration Laboratory
- CEV Crew Exploration Vehicle
- CLV Crew Launch Vehicle
- CTN Communications and Tracking Network
- Cx Constellation
- DON Distributed Observer Network
- DSIL Distributed System Integration Laboratory
- DSILCA DSIL Communications Adapter
- DSILIU DSIL Interface Unit
- FEIT Flight Element Integration Testing
- HLA High Level Architecture
- HWIL Hardware In the Loop
- LSAM Lunar Surface Access Module
- MCC Mission Control Center
- MEIT Multi-Element Integration Testing
- SIL System Integration Laboratory
- T&V Test and Verification